SMART LINK

The Main Alarm Station

SOFTWARE TEAM



The home screen of the Main Alarm Station



Overall view of the controlled beds.

The beds with pending alarms are enhanced with the colour of the most severe alarm.

Bed details on the Main Alarm Station



Selecting a bed, the alarms history is displayed.

The connected devices are listed.

Select a device to display the received data.

SMART LINK

Main Alarm Station
Contextualized pictures

SOFTWARE TEAM


SURGERY




Main Alarm Station - Tin
LETTO1
LETTO2
LETTO3
LETTO4
LETTO5
LETTO6
LETTO7
LETTO8
LETTO9
LETTO10
LETTO11
LETTO4
Pressure too low
SpO2 Desat
54
SpO2 Too Low
85
Detail and Status of the Devices list
Monitor
Pompe BD Alaris
57
39
134
0
98
96
26
24

SMART LINK

Main Alarm Station & Central Monitoring Station



SOFTWARE TEAM

The Main Alarm Station

- **Windows application**
- **Can be installed in client PCs that are in the same network of SmartLink server**
- **Easy setup**
- **Displays the alarms status and the parameters values**

Main Alarm Station Requirements

SMARTLINK CLIENT COMPUTER		
Feature	Minimum Requirements	
	Without remote patient video surveillance support	With remote patient video surveillance support
RAM	4 GB	16 GB
CPU	Intel Core i5	Intel Core i7
Total free hard disk space	50 GB	500 GB
Operating System	Windows 7 Windows 10	Windows 7 Windows 10
Network Card	1000 Mbps	1000 Mbps
Video Card	Standard	Ask SWT (will depend on the used video systems)
Virtualization	Not Allowed	Not Allowed
Internet Browser	Internet Explorer 9.0 Chrome, Firefox, Edge, Opera not supported	Internet Explorer 9.0 Chrome, Firefox, Edge, Opera not supported

SMART LINK

Find more information
about SmartLink on www.swt.it

SOFTWARE TEAM

